

UNCLASSIFIED

AD 408 379

DEFENSE DOCUMENTATION CENTER

FOR

SCIENTIFIC AND TECHNICAL INFORMATION

CAMERON STATION, ALEXANDRIA, VIRGINIA



UNCLASSIFIED


NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

408 379

CATALOGED BY DDB
AS AD NO.

408379

BOEING



DDC
RECEIVED
JUL 12 1963
TISIA A

SEATTLE. WASHINGTON

63-42

THE BOEING COMPANY

26

2-5142

NUMBER D2-10889-1 Vol. 48B

UNCLASSIFIED TITLE ACCEPTANCE SUMMARY REPORT

ADDENDUM TO FTM 433, MODEL SPECIFICATION -- S-133-1007C

MODEL NO. WS 133A CONTRACT NO. AF04(647)-289

ISSUE NO. N/R ISSUED TO N/R

CLASSIFIED TITLE N/R
(STATE CLASSIFICATION)

CHARGE NUMBER

SPECIAL LIMITATIONS ON ASTIA DISTRIBUTION

ASTIA may distribute this report to requesting agencies subject to their security agreement, approved fields of interest, and the following:

☐ UNLIMITED—To all agencies of the Department of Defense and their contractors.

☐ LIMITED—To U. S. Military organizations only

This report may be distributed to nonmilitary agencies not approved above subject to Boeing approval of each request.

NOTE: The LIMITED category may be checked only because of actual or potential patent, proprietary, ethical, or similar implications.

DOCUMENT TITLE PAGE U3 4287 9000 REV. 10/61

PREPARED BY Gene J. Lusk 6-11-63

SUPERVISED BY Henry C. Kuhl 6/11/63

APPROVED BY Henry C. Kuhl 6/11/63

CLASS & DISTR. N/R
APPROVED BY

RELIABILITY N/R
APPROVAL

(DATE)

VOL. 48B
SEC. 0

NO. D2-10889
PAGE 1 OF A

ACTIVE-CHANGED PAGE

ACTIVE			CHANGED				ACTIVE			CHANGED				
SECTION	PAGE	DATE	SECTION	PAGE			DATE	SECTION	PAGE	DATE	SECTION	PAGE		
				REVISED	ADDED	DELETED						REVISED	ADDED	DELETED
O	A													
O	B													
O	C													
O	D													
I	1-1a													
II	1-4	6-13-63	II	3										
III	1													
III-A	1-5	6-12-63	III A	5										
III-B	1-6													
IV-A	1-9	6-12-63	IV A	7										
		6-13-63	IV A	3										
IV-B	1-5	6-12-63	IV B	3										
IV-C	1													
V	1													
VII-A	1-2													
VII-B	1													
VIII	1	6-13-63	VIII	1										
X	0-2													

CONTENTS

REFERENCE: Operating Procedure 234-021 Dated 5 Feb. 1962.

INDEX

SECTION I	INTRODUCTION
SECTION II	CERTIFICATION FORMS
SECTION II 2a	APPROVED SPECIFICATION CHANGE NOTICES TO S-133-10070
SECTION III	EQUIPMENT IDENTIFICATION
SECTION III-A	INSTRUMENTATION CONFIGURATION LOG
SECTION III-B	ENGINEERING DRAWING INDEX
SECTION IV-A	M & IR INDEX
SECTION IV-B	ACTUAL CONFIGURATION
SECTION IV-C	COMMITTED CHANGES
SECTION V	FUNCTIONAL TEST COMPLETE
SECTION VI	(DELETED)
SECTION VII-A	CONTRACT SPECIFICATION NON-CONFORMANCE ITEMS (FUNCTIONAL)
SECTION VII-B	EQUIPMENT FAILURES
SECTION VIII	SHORTAGES
SECTION IX	(DELETED)
SECTION X	ENGINEERING DEVIATIONS AND WAIVERS

CORRELATION INDEX

	TBC CORRELATION DATA PAGE	TERMINOLOGY
61-50 PARA.		
6.4 (A)	Section I	Introduction
6.4 (A K)	Section II	Certification Forms
6.4 (A)	Section II 2a	Approved Specification Changes Notices to S-133-1007C
6.4 (B)	Section II 4	Condition of Acceptance
6.4 (A)	Section III	Equipment Identification
6.4 (A)	Section III-A	Instrumentation Configuration Log
6.4 (P)	Section III-B	Engineering Drawing Index
6.4 (H & M)	Section IV-A	M&IR Index
6.4 (A)	Section IV-B	Actual Configuration
6.4 (A)	Section IV-C	Committed Changes
6.4 (D&I)	Section V	Functional Test Complete
	Section VI	(Deleted)
6.4 (I)	Section VII-A	Contract Specification Non-Conformance Items (Functional)
6.4 (G)	Section VII-B	Equipment Failures
6.4 (C&F)	Section VIII	Shortages
	Section IX	(Deleted)
6.4 (I)	Section X	Engineering Deviations and Waivers

SECTION

INTRODUCTION

1. SCOPE

- a. This data identifies and describes the actual status of End Items, designated for First Article Customer Inspection or Team Acceptance review (Reference: AFPSD Exhibits 61-51 & 61-30). It includes any Waivers or Deviations that exist or are required for Non-Conformance Items. Status reporting will be at the delivery level unless otherwise noted.
- b. Responsibility of maintenance to include Base Commitments is transferred to the Base Quality Control Planning Unit receiving the equipment.

2. PURPOSE

- a. To establish a composite status for use by Base personnel to determine status of equipment received.
- b. To serve as a record of First Article End Item Acceptance as required by BSD-STL and AFQC at Seattle for delivery to Base Installations.

REVISED _____

U3 4288 2000

BOEING

VOL 48B

NO D2-10889-1

SEC I

PAGE 1

GENERAL INFORMATION

This addendum to D2-10889-1, Vol. 48 document is released to cover rework of the 43 section for FTM 433 per CCP 886, CCP 1049, CCP 1158, CCP 1128, and PRR 4290.

SECTION II

CERTIFICATION OF EQUIPMENT COMPLETION

The undersigned, being Chairman of the AFBSD, WS133A Acceptance Team, certifies the following:


1. The equipment described below is complete to the extent indicated on the Transfer or Shipping Authorization Form and its addenda.
2. The equipment is suitable for shipment to the location described below, under the jurisdiction of the Boeing Company for future test and/or work as required to satisfy the contract specified below.

Equipment Model No. **21-50122-33 Equipment Serial No. M433

Equipment Nomenclature R&D Sub-System Assy.

Destination BATC Contract Affected AFOL(647)-289

T/S Authorization Voucher No. EU11745


AFBSD Acceptance Team Chairman

****21-50122-33 less 45,47,49 Sec. & Components previously accepted**

(Ref. D2-10889, Vol. 48) per T/S Authorization Voucher No.'s

EU 9744, EU 9745, EU 9746

SECTION II

THE BOEING COMPANY AND SPACE TECHNOLOGY LABORATORIES
TECHNICAL CERTIFICATION


EQUIPMENT MODEL NO. **21-50122-33 S/N M433

NOMENCLATURE R&D Sub-System Assembly

The undersigned has reviewed the Engineering Data on the subject equipment and certifies the following:

- 1.***The equipment is technically adequate to perform its intended function.
2. The equipment meets all the specifications and requirements of Model Specification S-133-1007C Instrumentation Sub-System-Airborne R&D WS-133A, dated December 9 1961, including the approved SCN's listed on page 2a, with the exception of the Waivers and Deviations pages 1 through 2 in D2-10889, Volume 48B, Section X, Acceptance Summary Report.

*** With the exception of the MISTRAM transponder-filter system.


ENGINEERING REPRESENTATIVE
FOR THE BOEING COMPANY

NOT REPRESENTED
REPRESENTATIVE FOR SPACE
TECHNOLOGY LABORATORIES

**21-50122-33, less 45,47, 49 Section & Components previously accepted
(Ref. D2-10889, Vol. 48) Per T/S Authorization Voucher
No's EU 9744, EU 9745, EU 9746

SECTION II

APPROVED SPECIFICATION CHANGE NOTICES TO S-133-1007 C

APPROVED SCN's

3 276-278
5-12
14-19
28-31
34-35
37-40
42-44
46-47
49-51
52-54
58-59
63
66-67
69
70
71-80
85-87
90-91
93-95
110-118
120
128-131
139-146
163-165
167-170
189-193
214
216-218
221-231
233
241-244
249-250
255-259

CERTIFICATION FORMS

Conditions of Acceptance

A condition of acceptance is that prior to shipment the following portions of the MISTRAM Subsystem must be removed:

MISTRAM Transponder and Filter Assy.	Part No. 25-28056-2
Waveguide Assembly	25-27648-13
Waveguide Assembly	25-27648-14

In addition, P319 must be secured to withstand flight environment and a weight and balance test performed.

Comments

The description and record of the MISTRAM deficiencies is contained on Waiver page 1, Section X.

The authority for this action is AFPR direction.

For check 6/13/63
J. H. [signature] 6/12/63

REVISED _____

11-1000-1000

BOEING

VOL.	48B	NO	D2-10889-1
SEC.	TT	PAGE	3

**AIR FORCE QUALITY CONTROL CERTIFICATION OF EQUIPMENT READY
FOR ACCEPTANCE TEST**

**EQUIPMENT
PART NO.**

*21-50122-33

SERIAL NO.

M433

NOMENCLATURE

R&D Sub-System Assy.

The undersigned has reviewed the equipment and its associated records:

1. VISUAL AND PHYSICAL INSPECTION OF EQUIPMENT

- | | | |
|---|--------------------------------------|--------------------------|
| A. Finish Satisfactory | Yes <input checked="" type="radio"/> | No <input type="radio"/> |
| B. Workmanship Satisfactory | Yes <input checked="" type="radio"/> | No <input type="radio"/> |
| C. Freedom from Damage | Yes <input checked="" type="radio"/> | No <input type="radio"/> |
| D. Installation Complete Except as Noted on Contractor's Shortage and/or Incomplete List. | Yes <input checked="" type="radio"/> | No <input type="radio"/> |
| E. Authorization for Shortage or Incomplete Noted in Item "D" has been received. | Yes <input checked="" type="radio"/> | No <input type="radio"/> |

2. SPECIFICATION AND DRAWING STATUS

- | | | |
|---|--------------------------------------|--------------------------|
| A. All Applicable Specs have been complied with Except as Noted on Contractor's Request for Waiver or Deviation List. | Yes <input checked="" type="radio"/> | No <input type="radio"/> |
| B. All Documents and Specs have been Approved by AF/BSO, or Waivers obtained. | Yes <input checked="" type="radio"/> | No <input type="radio"/> |

- | | | |
|---|--------------------------------------|--------------------------|
| 3. BAO Acceptance Tags (BAO Form U3-4001-5000) have been properly Validated and Affixed to the Equipment. | Yes <input checked="" type="radio"/> | No <input type="radio"/> |
|---|--------------------------------------|--------------------------|

- | | | |
|---|--------------------------------------|--------------------------|
| 4. All Test Equipment Utilized in Conducting Acceptance Tests, were properly Calibrated. | Yes <input checked="" type="radio"/> | No <input type="radio"/> |
| **21-50122-33, less 45,47,49 Sec. & Components previously accepted (Ref. D2-10889, Vol. 48) Per T/S Authorization Voucher | | |
| No's. EU 9744, EU 9745, EU 9746 | | |

SIGNATURE Joe S. Peha 6-11-3

SIGNATURE L. Marchesini 6/14/3

NAME (Print) JOE S. PEHA

NAME (Print) L. Marchesini

Boeing Company
Quality Control Representative
Seattle, Washington

Air Force Quality Control
Air Force Plant Representatives Office
Boeing Company
Seattle, Washington

SECTION III

EQUIPMENT IDENTIFICATION FORM

DATE 6-11-63

GTM or FTM SERIAL NO. FTM 433

MODEL or EQUIPMENT SPECIFICATION S-133-1007-C

TOP DRAWING 21-50122

PART NUMBER 21-50122-33

NOMENCLATURE R&D Sub-System Assembly

REVISED _____

111 1700 0000

BOEING

VOL 48B

NO D2-10889-1

SEC. TTT

PAGE 1

INSTRUMENTATION CONFIGURATION LOG

MISSILE M433									
SECTION NO. 43									
NO.	MEAS. CODE	NOMENCLATURE	NAME OF MFG.	EQUIPMENT SERIAL NO. (BAC/MFG)	PART NUMBER	WIRE EQUIP ITEM NO.	INSTL. DATE	MR. USED ON.	
1	A01LS	Strain Gage	Baldwin Lima Hamilton	Z01151	BAC-S-44A-1	MT102	6-22-2	25-15187-9000	
2	A51LS	Strain Gage	Baldwin Lima Hamilton	Z01152	BAC-S-44A-1	MT186	6-22-2	25-15187-9000	
3	A012S	Strain Gage	Baldwin Lima Hamilton	Z01153	BAC-S-44A-1	MT103	6-22-2	25-15187-9000	
4	A512S	Strain Gage	Baldwin Lima Hamilton	Z01154	BAC-S-44A-1	MT187	6-22-2	25-15187-9000	
5	Low	Low Pass Filter	Sigma	010886/63	LPF 12B	A91	10-12-2	25-17869-35	
6		Event Marker	Electro. Dev.	020791/241	10-20401-1	A60(R1)	10-14-2	25-16462-8	
7		Event Marker	ASCOP	800591/364	10-20401-1	A60(R2)	10-14-2	25-16462-8	
8		Event Marker	ELECTRO DEV. CORP.	80088/210	10-20401-1	A60(R3)	10-14-2	25-16462-8	
9		Event Marker	Electro Dev. Corp.	020800/449	10-20401-1	A60(R4)	10-14-2	25-16462-8	
10		PCM/FM R.F. Unit	UED	021116/560	10-20402-40	A83	10-22-2	25-17866-34	
11		Box, Multiplexer Progm.	Radiation	0060RS/0004	10-20402-41	A22	10-11-2	21-50031-4	
12		Multiplexer Box	Radiation	0063 RP/0006	10-20402-42	A-26	10-11-2	21-50031-14	

REVISED

US 4788 2000

BOEING

VOL 48B

NO D2-10889-1

SEC. III-A

PAGE 1

INSTRUMENTATION CONFIGURATION LOG

MISSILE M433									
SECTION NO. 43									
NO.	MEAS. CODE	NOMENCLATURE	NAME OF MFG.	EQUIPMENT SERIAL NO. (BAC/MFG)	PART NUMBER	WIRE EQUIP ITEM NO.	INSTL. DATE	M&IR USED ON,	
13		R.F. Package FM/FM	United Electro. Dev.	040730/621	10-20403-7	A80	10-25-2	25-17867-34	
14		SCO Package	United Electro. Dev.	040812/613	10-20403-8	A80	11-16-2	25-17867-34	
15		SCO Package	United Electro. Dev.	040839/595	10-20403-8	A81	11-21-2	25-17867-34	
16		R.F. Package FM/FM	United Electro. Dev.	040689/611	10-20403-9	A81	10-25-2	25-17867-34	
17		Triplexer	Allen Bradley Co.	800993/1055	10-20409	A82	10-5-2	25-15718-956	
18		Voltage Regulator	Electro Dev.	020905/73	10-20410	UR-1	10-12-2	25-15718-956	
19		Switch	Kinetics	021929/0144	10-20420-7	S9	1-30-3	25-33595-48	
20		Transfer Switch	Kinetics	021304/0138	10-20420-8	S2	10-29-2	25-33596-22	
21		Switch	Kinetics	800918/0142	10-20420-9	S6	10-2-2	25-33595-48	
22		C/D Receiver	Motorola	800865/95	10-20428-2	A9	10-22-2	25-17869-35	
23		C/D Receiver	Motorola	020454/117	10-20428-2	A5	10-22-2	25-17869-23	
24		Linear Accelerometer	Statham	020379/11849	10-20454-5	MT84	10-1-2	25-21584-7	

INSTRUMENTATION CONFIGURATION LOG

MISSILE M433									
SECTION NO. A3									
NO.	MEAS. CODE	NOMENCLATURE	NAME OF MFG.	EQUIPMENT SERIAL NO. (BAG/MFG)	PART NUMBER	WIRE EQUIP. ITEM NO.	INSTL. DATE	MR. IR. USED ON.	
25		Linear Accelerometer	Statham	040628/11863	10-20454-5	MT83	8-28-2	25-21584-8	
26		Linear Accelerometer	Statham	040121/11270	10-20454-6	MT82	8-28-2	25-21584-4	
27		DC Amplifier	Electro. Dev. Corp.	014730/101	10-20459-2	A29	10-26-2	25-17867-34	
28		DC Amplifier	Electro. Dev. Corp.	018841/157	10-20459-2	A30	10-26-2	25-17867-34	
29		Staging Switch	Electro Dev. Corp.	020164/0000174	10-20476	S1	10-29-2	25-33596-22	
30		Thermocouple Ref. Jet.	Servo	019163/0000080	10-20478-11	HR6	9-28-2	25-22282-16	
31		Thermocouple Ref. Jet.	Servo	019502/87	10-20478-11	HR3	10-5-2	25-22282-15	
32		Transformer	United Electro Dev.	536	10-20833-26	AL46	9-13-2	25-17062-35	
33		Transformer	United Electro Dev.	574	10-20833-26	AL47	9-13-2	25-17062-35	
34		Multiplexer Programmer	Radiation	01433/0004	21-50031-4	A22	10-22-2	25-17866-34	
35		Multiplexer	Radiation	018866/157	21-50031-51	A26	4-5-3	25-17866-34	
36		C/D Antenna	Boeing	M438-2	25-15837-5	E7	10-16-2	25-15718-956	

INSTRUMENTATION CONFIGURATION LOG

MISSILE M433										SECTION NO. 43	
NO.	MEAS. CODE	NOMENCLATURE	NAME OF MFG.	EQUIPMENT SERIAL NO. (BAC/MFG)	PART NUMBER	WIRE EQUIP ITEM NO.	INSTL. DATE	MR. USED ON.			
37		C/D Antenna	Boeing	M439-2	25-15837-5	E8	10-16-2	25-15718-956			
38		C/D Antenna	Boeing	M439-3	25-15837-5	E6	10-16-2	25-15718-956			
39		Telemetry Antenna	Boeing	M427-3	25-15850-9	E1	10-16-2	25-15718-956			
40		Telemetry Antenna	Boeing	M433-2	25-15850-9	E2	10-16-2	25-15718-956			
41		Telemetry Antenna	Boeing	M433-3	25-15850-9	E3	10-16-2	25-15718-956			
42		Bridge Compl. Network	Boeing	4 of 19/M428	25-25223-902	A54	10-4-2	25-15718-956			
43		Bridge Compl. Network	Boeing	10 of 19/M428	25-25223-902	A55	10-4-2	25-15718-956			
44		Bridge Compl. Network	Boeing	17 of 19/M429	25-25223-902	A108	10-4-2	25-15718-956			
45		Bridge Compl. Network	Boeing	17 of 19/M427	25-25223-902	A109	10-4-2	25-15718-956			
46		Mistram Antenna	Boeing	M442-1	25-25518-14	E9	5-8-3	25-15718-956			
47		Mistram Antenna	Boeing	M433-1R	25-25518-14	E10	5-8-3	25-15718-956			
48		VSWR Monitor	Boeing	M443	25-25843-13	A153	5-16-3	25-15718-956			

INSTRUMENTATION CONFIGURATION LOG

MISSILE M433									
SECTION NO. 43									
NO.	MEAS. CODE	NOMENCLATURE	NAME OF MFG.	EQUIPMENT SERIAL NO. (BAC/MFG)	PART NUMBER	WIRE EQUIP ITEM NO.	INSTL. DATE	W&IR USED ON.	
49		Waveguide Assy.	Technicraft	800601/2186T	25-27648-1	W2	11-8-2	25-15718-956	
50		Waveguide Assy.	Technicraft	800562/2180X	25-27648-15	W3	5-16-3	25-15718-956	
51	1	Waveguide Assy.	Technicraft	800418/5880Y	25-27648-13	W1	5-16-3	25-25493-4	R
52	1	Waveguide Assy.	Technicraft	800396/0666X	25-27648-14	W3	5-16-3	25-25493-4	R
53	1	Mistram Trans. & Fil.	GFE	00003R	25-28056-2	See lines 55 & 54	5-28-3	25-25493-7	R
54	1	Transponder	GFE	59	7641450G1 Mod A	A151	5-28-3	25-28056-2	R
55	1	Filter	GFE	2	7641481G1	A152	5-28-3	25-28056-2	R
56		Filter	Genistron	511	25-28059-1	A181	10-12-2	25-15718-956	
57		Matching Unit	Boeing	M433	25-34555-6	A51	10-17-2	25-33594-31	
58		Power Splitter	Boeing	M433	29-13515	A85	5-6-3	25-15187-9012	
59		Capacitor	Boeing	M432	29-21662-1	A187	10-29-2	25-33596-22	

REVISED

US 4788 2000

BOEING

VOL 48

NO D2-10889-1

SEC. III-A

PAGE 5

SEE SEC. II P. 3 & SEC. V P. 1 D

SECTION III-B

ENGINEERING DRAWING INDEX

MISSILE SECTION 43 (M433)

Indenture

1 2 3 4 5 6

PART NUMBER

21-50122-33
 25-15718-43
 25-20600-43
 25-16196-6
 25-15850-9
 25-16197-4
 25-15837-5
 29-13522
 29-13542
 25-19562-6
 25-27080-3
 25-27048-2
 25-27060-1
 26-11826-1
 26-11830-1
 26-11835-1
 26-11836-1
 26-11852-1
 26-11853-1
 29-20499-4
 29-20500-4
 25-26852-64
 25-26852-62
 25-26852-63
 25-15187-223
 25-16465-20
 26-10260-3
 29-21032-5
 29-19463-3
 26-8362-2
 29-19464-6
 29-19462-4
 29-20839-1
 29-19461-1
 25-23297-11
 29-18417-5
 26-10794-1
 26-10795-1
 26-10794-4
 29-18417-8
 26-9358
 26-9450
 26-9463
 29-16439-1
 29-15355
 29-15617
 29-15619

NOMENCLATURE

R&D Sub-System Assy. AMR-FTM
 R&D Section Assy.
 Compartment Assy.
 Ant. Instl.-Tele. Sec. 43
 Ant. Tele-Assy. of
 Ant. Instl.-C.D. Sec. 43
 Ant. C.D. Assy. of
 Support Bracket Assy. of
 Antenna-Command Destruct Assy. of
 Marking Instl.
 Duct. Instl.
 Channel-Assy. of
 Duct-FM Tray Cooling-Assy. of
 Clamp-Assy. of
 Hat Sec.-Assy. of
 Clamp-Assy. of
 Clamp-Assy. of
 Filler-Assy. of
 Filler-Assy. of
 Clamp-Assy. of
 Clamp-Assy. of
 Duct-Assy. of Opt. to 25-27060-1
 Filler-Assy. of Opt. to 26-11852-1
 Filler-Assy. of Opt. to 26-11853-1
 Instl. Sec. Assy.
 Struct. Instl. Peripheral Equip. Supt.
 Base Plate Assy. of
 Tray-Assy. of
 Tray-Assy. of
 Support Brkt.-P.C.M. Tray Assy. of
 Tray-Assy. of
 Wire-Tray Assy. of
 Tray-Assy. of
 Aft. Wire Tray Assy. of
 Channel-Equip. Support Assy. of
 Bracket-Assy. of
 Angle-Assy. of
 Support Angle-Assy. of
 Angle-Assy. of
 Bracket-Assy. of
 Tray Assy. of
 Bracket-Wire Tray Support Fwd. Assy.
 Tray Support PCM Tray Assy. of
 Bracket-Wire Bundle Support Assy. of
 Support Fitting PCM Tray Assy. of
 Fitting Accelerometer Support L.H. Assy. of
 Fitting Accelerometer Support R.H. Assy. of

REVISED _____

US 4200 2000 (WAS SAC 4101M)

BOEING | VOL 48B | MOD2-10889 -1
 | SEC III-B | PAGE 1

SECTION III-B

ENGINEERING DRAWING INDEX

MISILE SECTION 43 (M433)

Indenture
1 2 3 4 5 6

PART NUMBER

NOMENCLATURE

26-8365-4	Fitting Assy. of
29-16577-1	Tube-Assy. of
29-15595-4	Bracket Assy. of
29-14931-7	Fitting-Assy. of
29-14031-16	Fitting-Assy. of
29-14031-20	Fitting-Assy. of
29-14031-25	Fitting-Assy. of
29-14031-17	Fitting-Assy. of
29-13452-11	Fitting-Attach, C.D. Tray-Assy. of
29-13452-12	Fitting-Attach, C.D. Tray-Assy. of
29-13450-7	Fitting-Attach, Telemetry Tray, Assy. of
29-13450-8	Fitting-Attach Telemetry Tray, Assy. of
29-20486-1	Bracket Assy. of
29-20569-1	Bracket Assy.
26-11859-1	Support Assy.
26-11863-1	Support Assy.
25-20538-7	Insulation Instl.
25-20537-18	Plug Instl.
26-12135-1	Plate Bearing Assy. of
25-20537-21	Equipment & Instl. Strain
BAC-S44A-1	Strain Gages
25-28834-34	Wire & Equipment Instl.
25-21800-55	Coaxial Cable Bundle Tele. Assy. of
25-21800-56	Coaxial Cable Bundle Tele. Assy. of
25-21800-57	Coaxial Cable Bundle Tele. Assy. of
25-21800-25	Coaxial Cable Bundle Tele. Assy. of
25-21800-44	Coaxial Cable Bundle Tele. Assy. of
25-21800-45	Coaxial Cable Bundle Tele. Assy. of
25-21800-46	Coaxial Cable Bundle Tele. Assy. of
25-21800-47	Coaxial Cable Bundle Tele. Assy. of
25-21800-48	Coaxial Cable Bundle Tele. Assy. of
25-21800-49	Coaxial Cable Bundle Tele. Assy. of
25-21800-53	Coaxial Cable Bundle Tele. Assy. of
25-21800-24	Coaxial Cable Bundle Tele. Assy. of
25-21584-4	Accel. Bundle-Assy. of
10-20454-6	Linear-Accelerometer
25-21584-7	Accel. Bundle-Assy. of
10-20454-5	Linear-Accelerometer
25-21584-8	Accel. Bundle-Assy. of
10-20454-5	Linear-Accelerometer
25-28059-1	Filter-Assy. of
25-22282-15	Cable-Assy. of
10-20478-11	Ref. Junction Assy.
25-22282-16	Cable-Assy. of
10-20478-11	Ref. Junction Assy.
25-25223-5	Bridge Completion Network

SECTION III-B

ENGINEERING DRAWING INDEX

MISSILE SECTION 43 (M433)

Indenture

1 2 3 4 5 6
PART NUMBERNOMENCLATURE

25-33595-86	Wire Bundle Comp. Assy. of
10-20420-7	Switch-Assy. of
10-20420-9	Switch-Assy. of
10-20483-4	Protective Cover Connector
10-20483-1	Connector-Umbilical
10-20410	Voltage Regulator
10-20409	Triplexer
25-33185-72	Elect. Bundle
29-24153-11	Shield-Cover Wire Bundle Assy. of
29-24153-1	Shield Base Wire Bundle Assy. of
29-21390-1	Tray-Assy. of
29-21390-2	Cover-Assy. of
29-23567-1	Hat Sec.-Assy. of
25-25496-7	Wave Guide & Antenna Instal.
25-25843-13	Wave Guide-Dummy Monitor Assy. of
25-25518-14	Antenna
25-27648-1	Wave Guide Assy. of
25-27648-15	Wave Guide Assy. of
25-27648-14	Wave Guide Assy. of
25-27648-13	Wave Guide Assy. of
26-11971-1	Clamp Assy.
29-20784-1	Clamp Assy.
29-20784-2	Clamp Assy.
29-20784-3	Clamp Assy.
29-20757-1	Clamp Support Assy.
25-16400-13	Tray Instl.-FM/FM
25-17867-34	Tray Assy.-FM
25-33596-39	Wire Bundle Assy.
29-21662-1	Capacitor-Assy. of
10-20476	Switch Staging
10-20420-8	Switch Transfer & Test
25-16406-52	Tray Structure - Assy. Calibrate
29-15166-4	Fitting-Assy. of
29-15183-4	Fitting-Assy. of
29-16466-1	Clamp-Assy. of
10-20403-8	VCO Package
10-20403-9	R.F. Package
10-20403-7	R.F. Package
10-20459-2	Amplifier D.C. Signal A29
10-20459-2	Amplifier D.C. Signal A30
29-15475-16	Base-Assy. of
29-15475-18	Cover-Assy. of
25-16402-7	Tray Assy. Command Destruct
25-17869-35	Tray Assy.-C.D.

REVISED

NO 4000 2000 (WAS DAS 4100)

BOEING

VOL 48B

NO D2-10889-1

SEC. III-B

PAGE 3

SECTION III-B

ENGINEERING DRAWING INDEX

MISSILE SECTION 43 (M433)

Indenture

1 2 3 4 5 6
PART NUMBER

NOMENCLATURE

25-16408-27	C.D. Tray-Assy. of
29-15293-2	Fitting-Assy. of
29-15290-1	Fitting-Assy. of
29-15925	Splice Box-Assy. of
25-17062-25	Bundle Assy.
25-17062-26	Bundle Assy.
25-17062-35	Bundle Assy.
10-20833-26	C.D. Isolation Transformer
10-20428-2	Receiving Set C. Range Safety
LFF-12B	Low Pass Filter
29-15925-1	Cover Assy.
29-15494-7	Cable Support-Assy. of
29-15494-8	Cable Support-Assy. of
29-16792-1	Box-Assy. of
26-9969-1	Cover Assy. of
25-29817-1	Duct Instl. Mistram Tray Sec. 43
29-22596-1	Duct-FM Cooling Mistram Tray Assy. of
26-11790-1	Retained Screw Assy.
25-12935-1	Flexible Tube Assy.
29-22556-1	Angle-Support Cooling Air Duct., FM Assy. of
29-22556-2	Angle-Support Cooling Air Duct., FM Assy. of
25-16401-12	Tray Instl.-Tracking Beacon
25-25493-4	Tray Assy. Mistram
25-25494-1	Tray Structure Assy.
25-11912-2	Rack-Stowage Mistram Wave Guide Assy. of
29-20330-1	Fitting R.H. Tray Attach., Assy. of
29-20331-1	Fitting L.H. Tray Attach., Assy. of
29-20381-1	Guide-Mistram Tray Assy. of
29-20756-2	Wire Support-Tray Mistram, Assy. of
25-25495-1	Elect. Cable Bundle Mistram Tray Assy. of
25-25495-2	Elect. Cable Bundle Mistram Tray Assy. of
29-20756-1	Wire Support Tray Assy.
25-28056-2	Receiver-Transmitter Transponder & Filter
25-16199-15	Tray Instl. PCM/FM
25-17866-34	Tray Assy. PCM
25-16143-122	PCM Tray Struct.
29-14046-2	Fitting-Assy. of
29-14047-2	Fitting-Assy. of
25-27040-1	Duct-Assy. of
25-26852-10	Duct-Assy. of (Opt. to 25-27040-1)
29-20417-1	Duct-Assy. of
25-26852-7	Duct-Assy. of (Opt. to 29-2041701)
10-20402-40	RF Unit (A83)
29-15585	Base Assy. of

SECTION III-B

ENGINEERING DRAWING INDEX

MISSILE SECTION 43 (M433)

Indenture

1 2 3 4 5 6
PART NUMBER

NOMENCLATURE

29-15586	Support Base Assy. of
29-15616	Support Clamp-Assy. of
29-16095	Cover-Support Assy. of
29-16097	Liner Instl. PCM Tray
29-15585-10	Cover Assy. of
29-15584-16	Cover Assy. of
29-15585-16	Cover Assy. of
25-33594-57	Elect. Cable Bundle PCM Assy. of
25-34555-6	Matching Unit Modular Assy. of
29-14185-4	Box Assy. of
29-26811-1	Clamp Support Assy. of
29-26838-1	Clamp Assy. of
29-26840-1	Terminal Board Assy. of
25-34002-1	Module-Assy. of
25-34054-1	Module-20V Pwr. Mon. Assy. of
25-34055-1	Module-Dest. V. Divider Assy. of
25-34556-1	Module-Calorimeter Cal. Assy. of
25-34019-1	Module Battery Divider Assy. of
29-25258-1	Module Trigger Network Assy. of
25-16462-8	Event Marker-Instr. Assy. of
10-20401-1	Event Marker
29-15345-13	Support Assy. of (Optional to -6)
29-15345-6	Support Assy. of
25-33185-75	Elect. Bundle Patch Plug Assy. of
25-33185-77	Elect. Bundle Patch Plug Assy. of
25-33185-78	Elect. Bundle Patch Plug Assy. of
25-33185-79	Elect. Bundle Patch Plug Assy. of
25-33185-78	Elect. Bundle Patch Plug Assy. of
25-33185-99	Elect. Bundle Patch Plug Assy. of
25-33185-66	Elect. Bundle Patch Plug Assy. of
25-33185-65	Elect. Bundle Patch Plug Assy. of
25-33185-64	Elect. Bundle Patch Plug Assy. of
21-50032-1	PCM/FM Telemetry Components Opt. 21-50033-1
21-50031-1	PCM/FM Telemetry Components Opt. 21-50033-1
21-50034-1	PCM/FM Telemetry Components Opt. 21-50033-1
21-50033-1	PCM/FM Telemetry Components
21-50033-4	Multiplexer-Programmer Assy. of
10-20402-41	Multiplexer-Programmer Box
10-20402-53	DC to DC Converter, Sync.
10-20402-73	12V Voltage Regulator #1
21-50033-51	Multiplexer, Assy. of
21-50033-7	Multiplexer, Sub-Assy.
10-20402-42	Multiplexer Box
10-20402-79	50MV Amplifier & Clamp Assy.
10-20402-80	5V Amplifier & Clamp Assy.
10-20402-81	10MV Amplifier & Clamp
25-15799-25	Command Destruct Battery

REVISED

US 4300 2000 (WAS SAC 41510)

BOEING

VOL 48B

NO D2-10889 -1

SEC III-B

PAGE 4

SECTION III-B
ENGINEERING DRAWING INDEX

MISSILE SECTION 43 (M433)

Indenture

1 2 3 4 5 6

PART NUMBER

NOMENCLATURE

29-15639
25-15773-23
29-17982-2
25-19501-9
25-25173-8
25-25172-4
25-25236-1
25-25236-2
25-25236-3
25-25174-13
29-13708-1
29-13717
26-8372
29-19218-1
29-19285-4
10-20439-7
10-20439-8

Wire Bundle Assy. of
Case-Batt., Assy. of
Captive Fastener-Assy. of
Electrolyte Kit
Battery Tray-Instr. Sec., Assy. of
Cover Assy. of
Electric Cable Bundle Assy. of
Jumper Assy. of
Jumper Assy. of
Case-Batt. Tray Assy. of
Brkt. FT. Support Battery Tray Assy. of
Fitting Assy. of
Retainer Assy. of
Support Flange Battery Tray Assy. of
Resistor Package Assy. of
Cartridge Assy.
Cooling Valve

SECTION IV-C

COMMITTED ENGINEERING CHANGES

CHANGE	STATUS	REMARKS	DDRO STATUS		
			LAST PO.	DATED	COMP/INC
CCP					
886	Comp.	Comp. releases for FTM 433 on Pg. 4B Dated 3-22-63.	5	3-26-63	Comp.
1049	Comp.	Comp. release for FTM 433 on Pg. 9 dated 4-17-63.	21	6-15-63	Comp.
1128	Comp.		1	4-5-63	Comp.
1158	Comp.	Phase A Comp. for FTM 433 on Pg. 5 Dated 5-20-63.	5	5-20-63	Inc.
PRR					
4290	Comp.		6	4-23-63	Comp.

[Signature]
 Test Engineering
 Acknowledgement of
 Configuration Status

REVISED _____

40 4800 2000 (UAS SAC 41010)

BOEING VOL 48B NO D2-10889 -1
 SEC IV-C PAGE 1

SECTION VII-A

CONTRACT SPECIFICATION NON-CONFORMANCE ITEMS (FUNCTIONAL.)

MISSILE SECTION 43 (M433)

<u>MEIR PART NUMBER</u>	<u>JOB NUMBER</u>	<u>SERIAL NUMBER</u>
21-50122-93433	56542R	M433
UER's U 186791 (Page 29)		
U 186792 (Page 30)		

Discrepancy:

Ref: D2-7969, Vol. 133, Sec. O&2 para. 6.1.7 Run 4
 During "Y" axis vibration test Run 4, Per above referenced section, a loss of lock on range & calibrate phase detector outputs occurred twice. #1 at 320 CPS on upsweep and 160 CPS on down sweep.

The above referenced paragraph states that any loss of lock on range and calibrate phase detector outputs shall be referred to M.R.B. for disposition.

Fix: See D2-10889-1, Vol. 48B, sec. X, Page 1 for waiver.

21-50122-93433	56542R	M433
UER U186797		

Discrepancy:

Ref: D2-7969, Vol. 133, Sec. 3, Run 2, Para. 6.1.7

During "X" Axis vibration test run #2, per Ref. para., a loss of lock on the calibrate phase detector output occurred 12 times, eight on the upsweep, two between upsweep and down sweep 500 cycles, and two on down sweep. The above referenced para. states that any loss of lock on range and calibrate phase detector outputs shall be referred to MRB for disposition.

Fix: See D2-10889-1 Vol. 48B, Sec. X, Page 1 for waiver.

21-50122-93433	56542R	M433
UER 186806		

Discrepancy:

The following listed channel was out of tolerance per D2-7969, Vol. 133 Run #2, computer dump 431 ON "X" Axis vibration of 43 sec. M433.

I 033 E

Fix: See D2-10889-1 Vol. 48B Sec. X, Page 2 for Waiver

REVISED _____

U3 4288 2000 (WAS BAC 4131D)

BOEING	VOL 48B	NO D2-10889-1
SEC. VII-A	PAGE 1	

SECTION VII-A

CONTRACT SPECIFICATION NON-CONFORMANCE ITEMS (FUNCTIONAL.)

MISSILE SECTION 43 (M433)

<u>ITEM PART NUMBER</u>	<u>JOB NUMBER</u>	<u>SERIAL NUMBER</u>
21-50122-93433	56542R	M433

UER U 186802

Discrepancy:

Ref: D2-7969, Vol. 133, Sec. 2, Run #4, Computer Dump #443

The following listed channels were out of tolerance per above reference

I 031 E, I 033 E, G 082 E, A 011 S

Fix: See D2-10889-1, Vol. 48B, Sec. X, Page 2 for waiver.

REVISED _____

U3 4288 2000 (WAS BAC 4131D)

BOEING	VOL 48B	NO D2-10889-1
	SEC. VII-A	PAGE 2

SECTION VII-B

EQUIPMENT FAILURES

MISSILE SECTION 43 (M433)M&IR PART NUMBERJOB NUMBERSERIAL NUMBER

21-50122-93433

56542R

M433

UER U 186743

Discrepancy:

Ref D2-7969, Vol. 133, Sec. 2, P. 5.1.3

Channel IO32E failed to meet tolerances during test set prep as stated in ref document.

Tol: .3V Reading taken 1.05V
9V

Fix: Removed transponder & filter assy. 25-28056-2, S/N 0002R & replaced with 25-28056-2 S/N 0003R.

21-50122-33(43)

39436R

M433

UER U186778

Discrepancy:

Ref. UER U186780 P/N 21-50122-93433 J/N 56542R

During "Y" vibration channels G063E & G072E were out of tolerance

Fix: Removed A26 Box (Multiplexer) P/N 21-50031-51 S/N 0004 and installed P/N 21-50031-51, S/N 0006

REVISED _____

US 4300 2000 (WAS SAC 41910)

DOEIND

VOL.

48B

NO.

D2-10889

-1

SEC.

VII-B

PAGE

1

SECTION VIII

(M433)

SHORTAGES

Note: See Conditions of Acceptance Sec. II, page 3 and Waiver, Sec. X, page 1.

W. M. Walden for
Test Engineering
Acknowledgement of *J. A. Moore*
Configuration Status

REVISED _____

U3 4288 2000

BOEING	VOL. 48B	NO D2-10889-1
	SEC VIII	PAGE 1

ENGINEERING WAIVERS & DEVIATIONS

M 433

REVISED _____

U3 4288 2000

BOEING	VOL. 48B	NO D2-10889-1
SEC X	PAGE 0	

Missile Effectivity FTM 433

Date: 6/7/63

Event Record No.:

Spec. or Doc. No.: D2-3603-3

Revision:

Date: 12-9-61

Spec. or Doc. Title: Model Specification S-133-1007C - Instrumentation
Subsystem - Airborne - R&D WS-133A, WS-133A-M

Waiver X

Deviation _____

Page No: 145

Paragraph No.: 4.2.5.3.11

Description: Allow delivery of the Mistran Subsystem that will not meet
the Phase lock requirements of the Vibration test.

Reason: To support Present delivery schedule. The General Electric
representative investigating test failures of MISTRAM with
Minuteman certifies that this transponder is flight worthy and
will meet flight requirements as it now operates. Inasmuch
as the MISTRAM does not meet the model specification requirements,
Boeing cannot assure that the equipment will operate satisfactorily
in flight.

NOTE: Portions of the MISTRAM Subsystem are to be removed prior to
shipment to AMR per AFPR directions. See Condition of Acceptance.

Sht. 1 of

REVISED _____

U3 4288 2000

BOEING

VOL 48B

NO D2-10889

SEC X

PAGE 1

Date: 6/10/63

Missile Effectivity **FTM 433**

Event Record No.:

Spec. or Doc. No.: D2-3603-3

Revision:

Date: 12-9-61

Spec. or Doc. Title: Model Specification S-133-1007C - Instrumentation
Subsystem - Airborne - R&D WS-133A, WS-133A-M

Waiver X

Deviation _____

Page No: 145

Paragraph No: 4.2.5.3.8

Description:

Allow an out-of-tolerance condition during the 43 Section x-axis and y-axis vibration tests for the following telemetry measurements:

Measurement Code	Reason	Specification Tolerance % Full Scale	Measured Accuracy % Full Scale	
			Section 43 Y-Axis	Section 43 X-Axis
G082E	Note 1	1.1	+ 1.20	
I031E	Note 1	1.0	- 1.59	
I033E	Note 1	1.0	+ 1.35	+ 1.26
A011S	Note 2	1.7	- 2.11	

Reasons:

Note 1 - These measurements are not sufficiently out-of-tolerance to appreciably degrade system performance.

Note 2 - A011S oscillograph strip-out revealed a response at an 80 cps. This is a normal response to strain for this measurement and indicates satisfactory performance.

Sht. 1 of _____

REVISED _____

U.S. 4286 2600

488 VOL **488** NO **488**
SEC X PAGE 2